



STERLING Alumina Rock a Tile Series

COMMERCIAL DOOR RAILS



STERLING Alumina Rock a Tile series commercial glass doors elevate the elegance and professionalism in any commercial setting. This frameless glass entrance door kit includes everything but the glass. Glass must be purchased separately or sourced locally. Included is a top frame header that is designed to mount inside a finish wall opening. It houses a concealed closer designed to safely close the door once it is opened. Included is a center hung bottom pivot, back-to-back ladder pull handles of your choice, and locking hardware with a dustproof strike



COMMERCIAL DOOR RAIL KIT

STERLING Alumina Rock a Tile series Single/Double Glass Door, 4" Square Top and Bottom Rails Accepts 1/2" Glass, Concealed Closers (overhead /floor), matching sidelights, Top and bottom long rails, Back-To-Back Ladder Pulls of your choice, Bottom Locks, in-built Hydraulic patch, several color options, Various heights & lengths and all accessories to complete mess free job.

27636 - 36" LONG HEADER FOR SINGLE DOOR

36" long header for single door, store front (4-1/2" wide x 1-3/4")

PART NUMBER

27636PS	27636BN	27636MB	27636SA
---------	---------	---------	---------



PS: POLISHED STAINLESS
BN: BRUSHED NICKLE
MB: MATT BLACK
SA: SATIN ANODIZED

27638 - 38" LONG HEADER FOR SINGLE DOOR

38" long header for single door, store front (4-1/2" wide x 1-3/4")

PART NUMBER

27638PS	27638BN	27638MB	27638SA
---------	---------	---------	---------

27642 - 42" LONG HEADER FOR SINGLE DOOR

42" long header for single door, store front (4-1/2" wide x 1-3/4")

PART NUMBER

27642PS	27642BN	27642MB	27642SA
---------	---------	---------	---------

27672 - 72" LONG HEADER FOR DOUBLE DOOR (4-1/2" Wide x 1-3/4")

72" long header for double door, store front (4-1/2" wide x 1-3/4")

PART NUMBER

27672PS	27672BN	27672MB	27672SA
---------	---------	---------	---------



27676 - 76" LONG HEADER FOR DOUBLE DOOR (4-1/2" Wide x 1-3/4")

76" long header for double door, store front (4-1/2" wide x 1-3/4")

PART NUMBER

27676PS	27676BN	27676MB	27676SA
---------	---------	---------	---------

27682 - 82.5" LONG HEADER FOR DOUBLE DOOR (4-1/2" Wide x 1-3/4")

82.5" long header for double door, store front (4-1/2" wide x 1-3/4")

PART NUMBER

27682PS	27682BN	27682MB	27682SA
---------	---------	---------	---------

PS: POLISHED STAINLESS
BN: BRUSHED NICKLE
MB: MATT BLACK
SA: SATIN ANODIZED

27610 - 4" X 35-3/4" LONG DOOR RAIL WITHOUT LOCK

4" x 35-3/4" long door rail without lock for store front designed for use with STERLING Hardware top and bottom inserts high density cast body with/without lock mechanism suitable for use with glass of thickness 3/8" or 1/2" Requires fabricated glass with one corner notch. The gaskets are required. Suitable glass panels thickness 3/8" or 1/2". Material : Aluminum / Stainless Steel



	PART NUMBER	FINISHES	MATERIAL	QTY.
	27610PS-35	POLISHED STAINLESS	ALUM/SS	1
	27610BN-35	BRUSHED STAINLESS	ALUM/SS	1
	27610MB-35	MATT BLACK	ALUM/SS	1
	27610SA-35	SATIN ANODIZED	ALUM/SS	1

27610 - 4" X 37-3/4" LONG DOOR RAIL WITHOUT LOCK

4" x 37-3/4" long door rail without lock for store front designed for use with STERLING Hardware top and bottom inserts high density cast body with/without lock mechanism suitable for use with glass of thickness 3/8" or 1/2" Requires fabricated glass with one corner notch. The gaskets are required. Suitable glass panels thickness 3/8" or 1/2". Material : Aluminum / Stainless Steel



	PART NUMBER	FINISHES	MATERIAL	QTY.
	27610PS-37	POLISHED STAINLESS	ALUM/SS	1
	27610BN-37	BRUSHED STAINLESS	ALUM/SS	1
	27610MB-37	MATT BLACK	ALUM/SS	1
	27610SA-37	SATIN ANODIZED	ALUM/SS	1



27610 - 4" X 41" LONG DOOR RAIL WITHOUT LOCK

4" x 41" long door rail without lock for store front designed for use with STERLING Hardware top and bottom inserts high density cast body with/without lock mechanism suitable for use with glass of thickness 3/8" or 1/2" Requires fabricated glass with one corner notch. The gaskets are required. Suitable glass panels thickness 3/8" or 1/2". Material : Aluminum / Stainless Steel

PART NUMBER	FINISHES	MATERIAL	QTY.
27610PS-41	POLISHED STAINLESS	ALUM/SS	1
27610BN-41	BRUSHED STAINLESS	ALUM/SS	1
27610MB-41	MATT BLACK	ALUM/SS	1
27610SA-41	SATIN ANODIZED	ALUM/SS	1



27610 - 4" X 48" LONG DOOR RAIL WITHOUT LOCK

4" x 48" long door rail without lock for store front designed for use with STERLING Hardware top and bottom inserts high density cast body with/without lock mechanism suitable for use with glass of thickness 3/8" or 1/2" Requires fabricated glass with one corner notch. The gaskets are required. Suitable glass panels thickness 3/8" or 1/2". Material : Aluminum / Stainless Steel

PART NUMBER	FINISHES	MATERIAL	QTY.
27610PS-48	POLISHED STAINLESS	ALUM/SS	1
27610BN-48	BRUSHED STAINLESS	ALUM/SS	1
27610MB-48	MATT BLACK	ALUM/SS	1
27610SA-48	SATIN ANODIZED	ALUM/SS	1



27620 - 4" X 35-3/4" LONG DOOR RAIL WITH LOCK

4" x 35-3/4" long door rail with lock for store front designed for use with STERLING Hardware top and bottom inserts high density cast body with/without lock mechanism suitable for use with glass of thickness 3/8" or 1/2" requires fabricated glass with one corner notch. The gaskets are required. Suitable glass panels thickness 3/8" or 1/2". Material : Aluminum / Stainless steel

PART NUMBER	FINISHES	MATERIAL	QTY.
27620PS-35	POLISHED	ALUM/SS	1
27620BN-35	BRUSHED STAINLESS	ALUM/SS	1
27620MB-35	MATT BLACK	ALUM/SS	1
27620SA-35	SATIN ANODIZED	ALUM/SS	1



27620 - 4" X 37-3/4" LONG DOOR RAIL WITH LOCK

4" x 37-3/4" long door rail with lock for store front designed for use with STERLING Hardware top and bottom inserts high density cast body with/without lock mechanism suitable for use with glass of thickness 3/8" or 1/2" requires fabricated glass with one corner notch. The gaskets are required. Suitable glass panels thickness 3/8" or 1/2". Material : Aluminum / Stainless steel

PART NUMBER	FINISHES	MATERIAL	QTY.
27620PS-37	POLISHED	ALUM/SS	1
27620BN-37	BRUSHED STAINLESS	ALUM/SS	1
27620MB-37	MATT BLACK	ALUM/SS	1
27620SA-37	SATIN ANODIZED	ALUM/SS	1



27620 - 4" X 41" LONG DOOR RAIL WITH LOCK

4" x 41" long door rail with lock for store front designed for use with STERLING Hardware top and bottom inserts high density cast body with/without lock mechanism suitable for use with glass of thickness 3/8" or 1/2" requires fabricated glass with one corner notch. The gaskets are required. Suitable glass panels thickness 3/8" or 1/2". Material: Aluminum/ Stainless steel

PART NUMBER	FINISHES	MATERIAL	QTY.
27620PS-41	POLISHED	ALUM/SS	1
27620BN-41	BRUSHED STAINLESS	ALUM/SS	1
27620MB-41	MATT BLACK	ALUM/SS	1
27620SA-41	SATIN ANODIZED	ALUM/SS	1



27620 - 4" X 48" LONG DOOR RAIL WITH LOCK

4" x 48" long door rail with lock for store front designed for use with STERLING Hardware top and bottom inserts high density cast body with/without lock mechanism suitable for use with glass of thickness 3/8" or 1/2" requires fabricated glass with one corner notch. The gaskets are required. Suitable glass panels thickness 3/8" or 1/2". Material: Aluminum/ Stainless steel

PART NUMBER	FINISHES	MATERIAL	QTY.
27620PS-48	POLISHED	ALUM/SS	1
27620BN-48	BRUSHED STAINLESS	ALUM/SS	1
27620MB-48	MATT BLACK	ALUM/SS	1
27620SA-48	SATIN ANODIZED	ALUM/SS	1



27601 - 90° HOLD OPEN OVERHEAD DOOR CLOSER

90° Hold open overhead door closer for store front: The overhead concealed closer works with patch fittings and door rails spindle length is approximately 3/4" long closer has dual action valves one valve is used for closing speed, the other valve is used for latching speed. This closer has a 90° hold open function, package comes with mounting clips maximum door weight is 200 lbs., 42" Maximum width. Material: Aluminum/ Stainless




27602 - 90° NON HOLD OPEN OVERHEAD DOOR CLOSER


90° Non hold open overhead door closer for store front: The overhead concealed closer works with patch fittings and door rails spindle length is approximately 3/4" long closer has dual action valves one valve is used for closing speed, the other valve is used for latching speed. This closer has a 90° no-hold open function, package comes with mounting clips maximum door weight is 200 lbs., 42" Maximum width. Material: Aluminum

dormakaba 

RTS88 Series Overhead concealed door closer



**27605 - SHORT END, LOAD CENTRE HUNG,
TOP ARM ASSEMBLY**



Short end, load centre hung, Top Arm assembly. Created to fit door rails with wedge locks easily usable with an overhead concealed door closer can be used for center-hung position the short end-load center-hung series top arm has distinctive design considerations for the wedge-lock door rails. Flexible to use with overhead door concealer and closer. Material: Aluminum/SS

**27606 - FLOOR MOUNT BOTTOM PIVOT ASSEMBLY -
ADJUSTABLE END**



Floor Mount Bottom pivot assembly - Adjustable end adjustable for bottom clearance of 1/4" to 1/2" easily usable with end-load arm repairable without door removal from the hinges Material: Aluminum/PVC

27611 - 4" X 120" LONG SIDELITE RAIL



4" x 120" long sidelite rail for store front 4" tall to match door rails 120" long available in several finishes comes with 2 endcaps on each end. Reversible saddle to match 1/4" or 3/4". Clearances comes with 1/2" Glass Gasket, 3/8" Glass Gasket ordered separately. Matching door rails available for an even sightline. Material: Aluminum, Extrusion.

	PART NUMBER	FINISHES	MATERIAL	QTY.
	27611PS	POLISHED STAINLESS	ALUM/SS	1
	27611BN	BRUSHED STAINLESS	ALUM/SS	1
	27611MB	MATT BLACK	ALUM/SS	1
	27611SA	SATIN ANODIZED	ALUM/SS	1

27612 - 4" X 120" LONG SIDELITE RAIL



Comes 4-1/2" x 1-3/4" Complete Header with Pocket 120" Long with Gasket for 1/2" Glass. Comes in many finishes : Satin Anodized, Matt Black & Polished, Stainless 3/8" glass is used. Gasket sold separately.

	PART NUMBER	FINISHES	MATERIAL	QTY.
	27612PS	POLISHED STAINLESS	ALUM	1
	27612BN	BRUSHED STAINLESS	ALUM	1
	27612MB	MATT BLACK	ALUM	1
	27612SA	SATIN ANODIZED	ALUM	1

27603 - TOP PATCH INSERT WITH 9/16" SQUARE SPINDLE



Top patch insert with 9/16" square spindle. Suitable for use with the standard 9/16" square spindle overhead concealed door closer for use with top door patch fittings. Material: Aluminum / Stainless Steel

27621 - CYLINDER THUMB TURN COMBO, DOOR RAIL LOCKING ASSEMBLY



Cylinder thumb turn combo lock assembly brass plated with core face keyed cylinder solid brass housing 5 pin keyed cylinder type comes with dra10 cam thumb-turn cylinder has been designed for use with the sterling hardware wedge-lock door rail system. It has a solid brass housing with a dra10 and a diameter of 1-5/32". The package includes a .117 thick cylinder ring. The keyed alike cylinder is supplied with DRA 10 cam.

27604 - TOP/BOTTOM PATCH FITTING WITH INSERT



Adjustable Insert for Door Alignment 2-3/4" Pivot Setback For 3/8" or 1/2" Glass to be used with Overhead Closers. Requires glass fabrication.

	PART NUMBER	FINISHES	MATERIAL	QTY.
	27604PS	POLISHED STAINLESS	ALUM/SS	1
	27604BN	BRUSHED STAINLESS	ALUM/SS	1
	27604MB	MATT BLACK	ALUM/SS	1
	27604SA	SATIN ANODIZED	ALUM/SS	1



27607 - ADJUSTABLE FREE SWINGING FLOOR PIVOT

27412 - WEATHER STRIP PREVENTS DRAFTS BETWEEN GLASS DOORS

Suitable for 1/2" glass. No tools needed for installation



27440 - BUTYL TAPE 1/16 x 1/2

Age and Weather Resistant Flexible Seal. Meets AAMA Certification. Used as an Exterior Spacing and Seal. 50' Rolls
20 Rolls Per Case. Made From Butyl Rubber

28440 - BUTYL TAPE 1/8 X 3/8

25' Rolls, 20 Rolls Per Case.



60003 - 10" OFFSET BACK-TO-BACK GLASS-MOUNTED STANDARD PULL HANDLE

Suitable for use with glass of thickness 3/8" to 3/4". Requires fabricated glass with two holes of 5/8" diameter. Comes complete with matching finish metal washers and through-bolts for mounting. Material: Aluminum

	PART NUMBER	FINISHES	MATERIAL	QTY.
	60003-10-PS	POLISHED STAINLESS	ALUM/SS	1
	60003-10-BN	BRUSHED STAINLESS	ALUM/SS	1
	60003-10-MB	MATT BLACK	ALUM/SS	1
	60003-10-SA	SATIN ANODIZED	ALUM/SS	1



60003 - 12" OFFSET BACK-TO-BACK GLASS-MOUNTED STANDARD PULL HANDLE

Comes with matching metal washers and through bolts for mounting For use with tempered glass. Accommodates glass panels of thickness 3/8" to 3/4". Available in a variety of architectural finishes. Material: Aluminum

	PART NUMBER	FINISHES	MATERIAL	QTY.
	60003-12-PS	POLISHED STAINLESS	ALUM/SS	1
	60003-12-BN	BRUSHED STAINLESS	ALUM/SS	1
	60003-12-MB	MATT BLACK	ALUM/SS	1
	60003-12-SA	SATIN ANODIZED	ALUM/SS	1



61228 - 12" X 28" BACK-TO-BACK STRAIGHT COMBINATION PUSH AND PULL HANDLE SET

Comes with matching metal washers and through bolts for mounting For use with tempered glass. Accommodates glass panels of thickness 3/8" to 3/4". Available in a variety of architectural finishes. Material: Aluminum

	PART NUMBER	FINISHES	MATERIAL	QTY.
	61228PS	POLISHED STAINLESS	ALUM/SS	1
	61228BN	BRUSHED STAINLESS	ALUM/SS	1
	61228MB	MATT BLACK	ALUM/SS	1
	61228SA	SATIN ANODIZED	ALUM/SS	1

